

TABLE OF CONTENTS

11.02	WALL - FLIP UP DOOR - 38 HIGH
11.03	WALL - FLIP UP DOOR - 51 HIGH
11.04	WALL - FLIP UP DOOR - 65 HIGH
11.05	WALL - HORIZONTAL BIFOLD - 51 HIGH
11.06	WALL - HORIZONTAL BIFOLD - 65 HIGH
11.07	WALL - HORIZONTAL BIFOLD - 77 HIGH
11.08	WALL - LIFT UP DOOR - 38 HIGH
11.09	WALL - LIFT UP DOOR - 51 HIGH
11.10	WALL - LIFT OVER DOOR - 38 HIGH
11.11	WALL - LIFT OVER DOOR - 51 HIGH
11.12	WALL - LIFT OVER DOOR - 65 HIGH
11.13	WALL - SLIDING DOOR - 38, 51, 65, 77, 90 & 104 HIGH
11.16	WALL - VERTICAL BIFOLD DOORS - 65, 77, 90 & 104 HIGH
11.18	TALL - VERTICAL BIFOLD DOORS - 162 HIGH

WALL - FLIP UP DOOR - 38cm HIGH


38cm HIGH x 33 & 60.5 DEEP CARCASE



ILLUSTRATION


DESCRIPTION

WFUxx38



MIN. ALLOWABLE CARCASE HEIGHT = 24cm
MIN. ALLOWABLE CARCASE DEPTH = 28.9cm

$y = CH \div 3.42$ (CH=Cabinet Height)
 $x = (DT - 3.6) \div (-0.2857)$
Note: Negative Number
in the equation above.



WFUxx38 - WALL w/ FLIP UP DOOR

ONE DOOR 37.6cm H,
HK FLIP UP DOOR MECHANISM
*** PULL NOT INCLUDED ***

MIN. ALLOWABLE CARCASE HEIGHT = 24cm
MIN. ALLOWABLE CARCASE DEPTH = 28.9cm

CROWN OR FLYOVER NOT TO EXTEND MORE
THAN THE CALCULATED "X" VALUE BEYOND THE
FRONT EDGE OF THE CARCASE.


SEE SECTION DETAILS @ LEFT.

CODE

W (cm) depth (cm)


WFU6038	60	33
WFU6538	65	33
WFU7038	70	33
WFU7538	75	33
WFU76.238	76.2	33
WFU8038	80	33
WFU8538	85	33
WFU9038	90	33
WFU91.438	91.4	33
WFU9538	95	33
WFU10038	100	33
WFU10538	105	33
WFU11038	110	33
WFU11538	115	33
WFU12038	120	33

WFUxx38-60



MIN. ALLOWABLE CARCASE HEIGHT = 24cm
MIN. ALLOWABLE CARCASE DEPTH = 28.9cm

$y = CH \div 3.42$ (CH=Cabinet Height)
 $x = (DT - 3.6) \div (-0.2857)$
Note: Negative Number
in the equation above.



WFUxx38-60 WALL w/ FLIP UP DOOR

ONE DOOR 37.6cm H,
HK FLIP UP DOOR MECHANISM
*** PULL NOT INCLUDED ***

MIN. ALLOWABLE CARCASE HEIGHT = 24cm
MIN. ALLOWABLE CARCASE DEPTH = 28.9cm

CROWN OR FLYOVER NOT TO EXTEND MORE
THAN THE CALCULATED "X" VALUE BEYOND
THE FRONT EDGE OF THE CARCASE.

SEE SECTION DETAILS @ LEFT.

CODE

W (cm) depth (cm)

WFU6038-60	60	60.5
WFU6538-60	65	60.5
WFU7038-60	70	60.5
WFU7538-60	75	60.5
WFU76.238-60	76.2	60.5
WFU8038-60	80	60.5
WFU8538-60	85	60.5
WFU9038-60	90	60.5
WFU91.438-60	91.4	60.5
WFU9538-60	95	60.5
WFU10038-60	100	60.5
WFU10538-60	105	60.5
WFU11038-60	110	60.5
WFU11538-60	115	60.5
WFU12038-60	120	60.5


WALL - FLIP UP DOOR - 51cm HIGH

51cm HIGH x 33 & 60.5 DEEP CARCASE

irpinia

ILLUSTRATION

DESCRIPTION



WFUxx51 - WALL w/ FLIP UP DOOR


ONE DOOR 50.6cm H,
HK FLIP UP DOOR MECHANISM
*** PULL NOT INCLUDED ***

MIN. ALLOWABLE CARCASE HEIGHT = 24cm
MIN. ALLOWABLE CARCASE DEPTH = 28.9cm

CROWN OR FLYOVER NOT TO EXTEND MORE
THAN THE CALCULATED "X" VALUE BEYOND THE
FRONT EDGE OF THE CARCASE.

SEE SECTION DETAILS @ LEFT.

CODE	W (cm)	depth (cm)
WFU6051	60	33
WFU6551	65	33
WFU7051	70	33
WFU7551	75	33
WFU76.251	76.2	33
WFU8051	80	33
WFU8551	85	33
WFU9051	90	33
WFU91.451	91.4	33
WFU9551	95	33
WFU10051	100	33
WFU10551	105	33
WFU11051	110	33
WFU11551	115	33
WFU12051	120	33



WFUxx51-60 WALL w/ FLIP UP DOOR

ONE DOOR 50.6cm H,
HK FLIP UP DOOR MECHANISM
*** PULL NOT INCLUDED ***

MIN. ALLOWABLE CARCASE HEIGHT = 24cm
MIN. ALLOWABLE CARCASE DEPTH = 28.9cm

CROWN OR FLYOVER NOT TO EXTEND MORE
THAN THE CALCULATED "X" VALUE BEYOND
THE FRONT EDGE OF THE CARCASE.

SEE SECTION DETAILS @ LEFT.

CODE	W (cm)	depth (cm)
WFU6051-60	60	60.5
WFU6551-60	65	60.5
WFU7051-60	70	60.5
WFU7551-60	75	60.5
WFU76.251-60	76.2	60.5
WFU8051-60	80	60.5
WFU8551-60	85	60.5
WFU9051-60	90	60.5
WFU91.451-60	91.4	60.5
WFU9551-60	95	60.5
WFU10051-60	100	60.5
WFU10551-60	105	60.5
WFU11051-60	110	60.5
WFU11551-60	115	60.5
WFU12051-60	120	60.5


WALL - FLIP UP DOOR - 65cm HIGH

65cm HIGH x 33 & 60.5 DEEP CARCASE

irpinia

ILLUSTRATION

DESCRIPTION



WFUxx65 - WALL w/ FLIP UP DOOR


ONE DOOR 64.6cm H,
HK FLIP UP DOOR MECHANISM
*** PULL NOT INCLUDED ***

MIN. ALLOWABLE CARCASE HEIGHT = 24cm
MAX. RECOMMENDED CARCASE HEIGHT=65cm
MIN. ALLOWABLE CARCASE DEPTH = 28.9cm

CROWN OR FLYOVER NOT TO EXTEND MORE
THAN THE CALCULATED "X" VALUE BEYOND THE
FRONT EDGE OF THE CARCASE.

SEE SECTION DETAILS @ LEFT.

CODE	W (cm)	depth (cm)
WFU6065	60	33
WFU6565	65	33
WFU7065	70	33
WFU7565	75	33
WFU76.265	76.2	33
WFU8065	80	33
WFU8565	85	33
WFU9065	90	33
WFU91.465	91.4	33
WFU9565	95	33
WFU10065	100	33
WFU10565	105	33
WFU11065	110	33
WFU11565	115	33
WFU12065	120	33



WFUxx65-60 WALL w/ FLIP UP DOOR

ONE DOOR 64.6cm H,
HK FLIP UP DOOR MECHANISM
*** PULL NOT INCLUDED ***

MIN. ALLOWABLE CARCASE HEIGHT = 24cm
MAX. RECOMMENDED CARCASE HEIGHT=65cm
MIN. ALLOWABLE CARCASE DEPTH = 28.9cm

CROWN OR FLYOVER NOT TO EXTEND MORE
THAN THE CALCULATED "X" VALUE BEYOND THE
FRONT EDGE OF THE CARCASE.

SEE SECTION DETAILS @ LEFT.

CODE	W (cm)	depth (cm)
WFU6065-60	60	60.5
WFU6565-60	65	60.5
WFU7065-60	70	60.5
WFU7565-60	75	60.5
WFU76.265-60	76.2	60.5
WFU8065-60	80	60.5
WFU8565-60	85	60.5
WFU9065-60	90	60.5
WFU91.465-60	91.4	60.5
WFU9565-60	95	60.5
WFU10065-60	100	60.5
WFU10565-60	105	60.5
WFU11065-60	110	60.5
WFU11565-60	115	60.5
WFU12065-60	120	60.5


WALL - HORIZONTAL BIFOLD - 51cm HIGH

51cm HIGH x 33 & 60.5 DEEP CARCASE

irpinia

ILLUSTRATION

DESCRIPTION



WHBFxx51 - WALL HORIZONTAL BIFOLD


TWO DOORS, EACH 25.1cm H,
HF BIFOLD MECHANISM
*** PULL NOT INCLUDED ***

MIN. ALLOWABLE CARCASE HEIGHT = 48cm
MIN. ALLOWABLE CARCASE DEPTH = 30.6cm

CROWN OR FLYOVER NOT TO EXTEND
MORE THAN 2.5cm BEYOND THE FRONT
EDGE OF THE CARCASE.

MODIFICATIONS THAT VARY FROM THE
DETAILS SHOWN AT SECTION DETAILS @
LEFT WILL NOT BE ALLOWED.

CODE	W (cm)	depth (cm)
WHBF6051	60	33
WHBF6551	65	33
WHBF7051	70	33
WHBF7551	75	33
WHBF76.251	76.2	33
WHBF8051	80	33
WHBF8551	85	33
WHBF9051	90	33
WHBF91.451	91.4	33
WHBF9551	95	33
WHBF10051	100	33
WHBF10551	105	33
WHBF11051	110	33
WHBF11551	115	33
WHBF12051	120	33



WHBFxx51-60 WALL HORIZONTAL BIFOLD

TWO DOORS, EACH 25.1cm H,
HF BIFOLD MECHANISM
*** PULL NOT INCLUDED ***

MIN. ALLOWABLE CARCASE HEIGHT = 48cm
MIN. ALLOWABLE CARCASE DEPTH = 30.6cm

CROWN OR FLYOVER NOT TO EXTEND
MORE THAN 2.5cm BEYOND THE FRONT
EDGE OF THE CARCASE.

MODIFICATIONS THAT VARY FROM THE
DETAILS SHOWN AT SECTION DETAILS @
LEFT WILL NOT BE ALLOWED.

CODE	W (cm)	depth (cm)
WHBF6051-60	60	60.5
WHBF6551-60	65	60.5
WHBF7051-60	70	60.5
WHBF7551-60	75	60.5
WHBF76.251-60	76.2	60.5
WHBF8051-60	80	60.5
WHBF8551-60	85	60.5
WHBF9051-60	90	60.5
WHBF91.451-60	91.4	60.5
WHBF9551-60	95	60.5
WHBF10051-60	100	60.5
WHBF10551-60	105	60.5
WHBF11051-60	110	60.5
WHBF11551-60	115	60.5
WHBF12051-60	120	60.5


WALL - HORIZONTAL BIFOLD - 65cm HIGH

65cm HIGH x 33 & 60.5 DEEP CARCASE

irpinia

ILLUSTRATION

DESCRIPTION



WHBFxx65 - WALL HORIZONTAL BIFOLD


TWO DOORS, EACH 32.1cm H,
HF BIFOLD MECHANISM
*** PULL NOT INCLUDED ***

MIN. ALLOWABLE CARCASE HEIGHT = 48cm
MIN. ALLOWABLE CARCASE DEPTH = 30.6cm

CROWN OR FLYOVER NOT TO EXTEND MORE
THAN 2.5cm BEYOND THE FRONT EDGE OF
THE CARCASE.

MODIFICATIONS THAT VARY FROM THE
DETAILS SHOWN AT SECTION DETAILS @
LEFT WILL NOT BE ALLOWED.

CODE	W (cm)	depth (cm)
WHBF6065	60	33
WHBF6565	65	33
WHBF7065	70	33
WHBF7565	75	33
WHBF76.265	76.2	33
WHBF8065	80	33
WHBF8565	85	33
WHBF9065	90	33
WHBF91.465	91.4	33
WHBF9565	95	33
WHBF10065	100	33
WHBF10565	105	33
WHBF11065	110	33
WHBF11565	115	33
WHBF12065	120	33



WHBFxx65-60 WALL HORIZONTAL BIFOLD

TWO DOORS, EACH 32.1cm H,
HF BIFOLD MECHANISM
*** PULL NOT INCLUDED ***

MIN. ALLOWABLE CARCASE HEIGHT = 48cm
MIN. ALLOWABLE CARCASE DEPTH = 30.6cm

CROWN OR FLYOVER NOT TO EXTEND MORE
THAN 2.5cm BEYOND THE FRONT EDGE OF
THE CARCASE.

MODIFICATIONS THAT VARY FROM THE
DETAILS SHOWN AT SECTION DETAILS @
LEFT WILL NOT BE ALLOWED.


CODE	W (cm)	depth (cm)
WHBF6065-60	60	60.5
WHBF6565-60	65	60.5
WHBF7065-60	70	60.5
WHBF7565-60	75	60.5
WHBF76.265-60	76.2	60.5
WHBF8065-60	80	60.5
WHBF8565-60	85	60.5
WHBF9065-60	90	60.5
WHBF91.465-60	91.4	60.5
WHBF9565-60	95	60.5
WHBF10065-60	100	60.5
WHBF10565-60	105	60.5
WHBF11065-60	110	60.5
WHBF11565-60	115	60.5
WHBF12065-60	120	60.5

WALL - HORIZONTAL BIFOLD - 77cm HIGH

77cm HIGH x 33cm DEEP CARCASE



ILLUSTRATION



DESCRIPTION

WHBFxx77 - WALL HORIZONTAL BIFOLD

TWO DOORS, EACH 38.1cm H,
HF BIFOLD MECHANISM
*** PULL NOT INCLUDED ***

MIN. ALLOWABLE CARCASE HEIGHT = 48cm
MAX. ALLOWABLE CARCASE HEIGHT = 104cm
MIN. ALLOWABLE CARCASE DEPTH = 30.6cm

CROWN OR FLYOVER NOT TO EXTEND MORE THAN
2.5cm BEYOND THE FRONT EDGE OF THE CARCASE.

MODIFICATIONS THAT VARY FROM THE DETAILS SHOWN
BELOW WILL NOT BE ALLOWED.

CODE	W (cm)	depth (cm)
WHBF6077	60	33
WHBF6577	65	33
WHBF7077	70	33
WHBF7577	75	33
WHBF76.277	76.2	33
WHBF8077	80	33
WHBF8577	85	33
WHBF9077	90	33
WHBF91.477	91.4	33
WHBF9577	95	33
WHBF10077	100	33
WHBF10577	105	33
WHBF11077	110	33
WHBF11577	115	33
WHBF12077	120	33

CH 77
(48 MIN.)
(104 MAX.)

5.6

5.6

33
(30.6 MIN.)

DH
(size only)

Y

11.1

10.6

DH÷2

DHmin

DH

DHmax

DH = (CH÷2)-0.4
DHmin = (DH÷2)+7+4.1
DHmax = DH+4.2
Y=DH x 0.44 + 2.3

MODIFICATIONS THAT DEVIATE FROM
THESE DETAILS WILL NOT BE ALLOWED
UNDER ANY CIRCUMSTANCES.

SECTION DETAILS

MIN. ALLOWABLE CARCASE HEIGHT = 48cm
MAX. ALLOWABLE CARCASE HEIGHT = 104cm
MIN. ALLOWABLE CARCASE DEPTH = 30.6cm


WALL - LIFT UP DOOR - 38cm HIGH

38cm HIGH x 33 & 60.5 DEEP CARCASE

irpinia

ILLUSTRATION

DESCRIPTION



WLUxx38 - WALL w/ LIFT UP DOOR


ONE DOOR 37.6cm H,
HL LIFT UP DOOR MECHANISM
*** PULL NOT INCLUDED ***

MIN. ALLOWABLE CARCASE HEIGHT = 30.2cm
MIN. ALLOWABLE CARCASE DEPTH = 30.6cm

CROWN OR FLYOVER NOT TO EXTEND MORE THAN THE
"X" VALUE BEYOND THE FRONT EDGE OF THE CARCASE.

SEE ADDITIONAL DETAILS BELOW.


SECTION DETAILS



CODE

W (cm)
depth (cm)

WLU6038	60	33
WLU6538	65	33
WLU7038	70	33
WLU7538	75	33
WLU76.238	76.2	33
WLU8038	80	33
WLU8538	85	33
WLU9038	90	33
WLU91.438	91.4	33
WLU9538	95	33
WLU10038	100	33
WLU10538	105	33
WLU11038	110	33
WLU11538	115	33
WLU12038	120	33



WLUxx38-60 WALL w/ LIFT UP DOOR


ONE DOOR 37.6cm H,
HL LIFT UP DOOR MECHANISM
*** PULL NOT INCLUDED ***

MIN. ALLOWABLE CARCASE HEIGHT = 30.2cm
MIN. ALLOWABLE CARCASE DEPTH = 30.6cm

CROWN OR FLYOVER NOT TO EXTEND MORE THAN THE
"X" VALUE BEYOND THE FRONT EDGE OF THE CARCASE.

SEE ADDITIONAL DETAILS BELOW.

SECTION DETAILS



CODE

W (cm)
depth (cm)

WLU6038-60	60	60.5
WLU6538-6	65	60.5
WLU7038-60	70	60.5
WLU7538-6	75	60.5
WLU76.238-60	76.2	60.5
WLU8038-60	80	60.5
WLU8538-6	85	60.5
WLU9038-60	90	60.5
WLU91.438-60	91.4	60.5
WLU9538-6	95	60.5
WLU10038-60	100	60.5
WLU10538-6	105	60.5
WLU11038-60	110	60.5
WLU11538-6	115	60.5
WLU12038-60	120	60.5



WALL - LIFT UP DOOR - 51cm HIGH

51cm HIGH x 33 & 60.5 DEEP CARCASE



irpinia

ILLUSTRATION

DESCRIPTION



CODE	W (cm)	depth (cm)
WLU6051	60	33
WLU6551	65	33
WLU7051	70	33
WLU7551	75	33
WLU76.251	76.2	33
WLU8051	80	33
WLU8551	85	33
WLU9051	90	33
WLU91.451	91.4	33
WLU9551	95	33
WLU10051	100	33
WLU10551	105	33
WLU11051	110	33
WLU11551	115	33
WLU12051	120	33



CODE	W (cm)	depth (cm)
WLU6051-60	60	60.5
WLU6551-60	65	60.5
WLU7051-60	70	60.5
WLU7551-60	75	60.5
WLU76.251-60	76.2	60.5
WLU8051-60	80	60.5
WLU8551-60	85	60.5
WLU9051-60	90	60.5
WLU91.451-60	91.4	60.5
WLU9551-60	95	60.5
WLU10051-60	100	60.5
WLU10551-60	105	60.5
WLU11051-60	110	60.5
WLU11551-60	115	60.5
WLU12051-60	120	60.5



WALL - LIFT OVER DOOR - 38cm HIGH

38cm HIGH x 33 & 60.5 DEEP CARCASE



irpinia

ILLUSTRATION

DESCRIPTION



CODE	W (cm)	depth (cm)
WLO6038	60	33
WLO6538	65	33
WLO7038	70	33
WLO7538	75	33
WLO76.238	76.2	33
WLO8038	80	33
WLO8538	85	33
WLO9038	90	33
WLO91.438	91.4	33
WLO9538	95	33
WLO10038	100	33
WLO10538	105	33
WLO11038	110	33
WLO11538	115	33
WLO12038	120	33



CODE	W (cm)	depth (cm)
WLO6038-60	60	60.5
WLO6538-60	65	60.5
WLO7038-60	70	60.5
WLO7538-60	75	60.5
WLO76.238-60	76.2	60.5
WLO8038-60	80	60.5
WLO8538-60	85	60.5
WLO9038-60	90	60.5
WLO91.438-60	91.4	60.5
WLO9538-60	95	60.5
WLO10038-60	100	60.5
WLO10538-60	105	60.5
WLO11038-60	110	60.5
WLO11538-60	115	60.5
WLO12038-60	120	60.5



WALL - LIFT OVER DOOR- 51cm HIGH

51cm HIGH x 33 & 60.5 DEEP CARCASE



irpinia

ILLUSTRATION

DESCRIPTION



CODE	W (cm)	depth (cm)
WLO6051	60	33
WLO6551	65	33
WLO7051	70	33
WLO7551	75	33
WLO76.251	76.2	33
WLO8051	80	33
WLO8551	85	33
WLO9051	90	33
WLO91.451	91.4	33
WLO9551	95	33
WLO10051	100	33
WLO10551	105	33
WLO11051	110	33
WLO11551	115	33
WLO12051	120	33



CODE	W (cm)	depth (cm)
WLO6051-60	60	60.5
WLO6551-60	65	60.5
WLO7051-60	70	60.5
WLO7551-60	75	60.5
WLO76.251-60	76.2	60.5
WLO8051-60	80	60.5
WLO8551-60	85	60.5
WLO9051-60	90	60.5
WLO91.451-60	91.4	60.5
WLO9551-60	95	60.5
WLO10051-60	100	60.5
WLO10551-60	105	60.5
WLO11051-60	110	60.5
WLO11551-60	115	60.5
WLO12051-60	120	60.5



WALL - LIFT OVER DOOR - 65cm HIGH

65cm HIGH x 33 & 60.5 DEEP CARCASE



irpinia

ILLUSTRATION

DESCRIPTION



CODE	W (cm)	depth (cm)
WLO6065	60	33
WLO6565	65	33
WLO7065	70	33
WLO7565	75	33
WLO76.265	76.2	33
WLO8065	80	33
WLO8565	85	33
WLO9065	90	33
WLO91.465	91.4	33
WLO9565	95	33
WLO10065	100	33
WLO10565	105	33
WLO11065	110	33
WLO11565	115	33
WLO12065	120	33



CODE	W (cm)	depth (cm)
WLO6065-60	60	60.5
WLO6565-60	65	60.5
WLO7065-60	70	60.5
WLO7565-60	75	60.5
WLO76.265-60	76.2	60.5
WLO8065-60	80	60.5
WLO8565-60	85	60.5
WLO9065-60	90	60.5
WLO91.465-60	91.4	60.5
WLO9565-60	95	60.5
WLO10065-60	100	60.5
WLO10565-60	105	60.5
WLO11065-60	110	60.5
WLO11565-60	115	60.5
WLO12065-60	120	60.5




WALL w/ SLIDING DOORS

38 & 51cm HIGH x 35.5+/- & 63+/- DEEP

irpinia

ILLUSTRATION

DESCRIPTION

WSDxx38  D=PT+0.3+33; where PT=PROFILE THICKNESS of surrounding Door Style	WSDxx38 - WALL w/ SLIDING DOORS 2 INSET SLIDING DOORS (H-4.7) x (W÷2)cm. DOORS SLIDE SMOOTHLY ON BALL BEARING WHEELS AND SOLID ALUMINUM TRACK. FINISHED INTERIOR AND FRONT EDGES. FINISHED SIDES ARE NOT INCLUDED AND MUST BE ORDERED SEPARATELY. MAXIMUM AVAILABLE LENGTH OF SLIDING DOOR TRACK IS 120cm. NO SHELF FOR 38cm HIGH CABINET. NOTE: CABINET DEPTH IS SIZED TO MATCH SURROUNDING DOOR PROFILES. SEE FORMULA @ LEFT TO DETERMINE THE EXACT SIZE FOR DEPTH. SEE THE APPROPRIATE DOOR SHEET FOR THE PT (profile thickness) VALUE.	CODE <table><tr><th></th><th>W (cm)</th><th>H (cm)</th><th>D (cm)</th></tr><tr><td>WSD7038</td><td>70</td><td>38</td><td>35.5+/-</td></tr><tr><td>WSD7538</td><td>75</td><td>38</td><td>35.5+/-</td></tr><tr><td>WSD76.238</td><td>76.2</td><td>38</td><td>35.5+/-</td></tr><tr><td>WSD8038</td><td>85</td><td>38</td><td>35.5+/-</td></tr><tr><td>WSD8538</td><td>80</td><td>38</td><td>35.5+/-</td></tr><tr><td>WSD9038</td><td>90</td><td>38</td><td>35.5+/-</td></tr><tr><td>WSD91.438</td><td>91.4</td><td>38</td><td>35.5+/-</td></tr><tr><td>WSD9538</td><td>95</td><td>38</td><td>35.5+/-</td></tr><tr><td>WSD10038</td><td>100</td><td>38</td><td>35.5+/-</td></tr><tr><td>WSD10538</td><td>105</td><td>38</td><td>35.5+/-</td></tr><tr><td>WSD11038</td><td>110</td><td>38</td><td>35.5+/-</td></tr><tr><td>WSD11538</td><td>115</td><td>38</td><td>35.5+/-</td></tr><tr><td>WSD12038</td><td>120</td><td>38</td><td>35.5+/-</td></tr></table> D=PT+0.3+33; where PT=PROFILE THICKNESS of surrounding Door Style		W (cm)	H (cm)	D (cm)	WSD7038	70	38	35.5+/-	WSD7538	75	38	35.5+/-	WSD76.238	76.2	38	35.5+/-	WSD8038	85	38	35.5+/-	WSD8538	80	38	35.5+/-	WSD9038	90	38	35.5+/-	WSD91.438	91.4	38	35.5+/-	WSD9538	95	38	35.5+/-	WSD10038	100	38	35.5+/-	WSD10538	105	38	35.5+/-	WSD11038	110	38	35.5+/-	WSD11538	115	38	35.5+/-	WSD12038	120	38	35.5+/-
	W (cm)	H (cm)	D (cm)																																																							
WSD7038	70	38	35.5+/-																																																							
WSD7538	75	38	35.5+/-																																																							
WSD76.238	76.2	38	35.5+/-																																																							
WSD8038	85	38	35.5+/-																																																							
WSD8538	80	38	35.5+/-																																																							
WSD9038	90	38	35.5+/-																																																							
WSD91.438	91.4	38	35.5+/-																																																							
WSD9538	95	38	35.5+/-																																																							
WSD10038	100	38	35.5+/-																																																							
WSD10538	105	38	35.5+/-																																																							
WSD11038	110	38	35.5+/-																																																							
WSD11538	115	38	35.5+/-																																																							
WSD12038	120	38	35.5+/-																																																							
WSDxx38-60  D=PT+0.3+60.5; where PT=PROFILE THICKNESS of surrounding Door Style	WSDxx38-60 - WALL DEEP w/ SLIDING DOORS 2 INSET SLIDING DOORS (H-4.7) x (W÷2)cm. DOORS SLIDE SMOOTHLY ON BALL BEARING WHEELS AND SOLID ALUMINUM TRACK. FINISHED INTERIOR AND FRONT EDGES. FINISHED SIDES ARE NOT INCLUDED AND MUST BE ORDERED SEPARATELY. MAXIMUM AVAILABLE LENGTH OF SLIDING DOOR TRACK IS 120cm. NO SHELF FOR 38cm HIGH CABINET. NOTE: CABINET DEPTH IS SIZED TO MATCH SURROUNDING DOOR PROFILES. SEE FORMULA @ LEFT TO DETERMINE THE EXACT SIZE FOR DEPTH. SEE THE APPROPRIATE DOOR SHEET FOR THE PT (profile thickness) VALUE.	CODE <table><tr><th></th><th>W (cm)</th><th>H (cm)</th><th>D (cm)</th></tr><tr><td>WSD7038-60</td><td>70</td><td>38</td><td>63+/-</td></tr><tr><td>WSD7538-60</td><td>75</td><td>38</td><td>63+/-</td></tr><tr><td>WSD76.238-60</td><td>76.2</td><td>38</td><td>63+/-</td></tr><tr><td>WSD8038-60</td><td>85</td><td>38</td><td>63+/-</td></tr><tr><td>WSD8538-60</td><td>80</td><td>38</td><td>63+/-</td></tr><tr><td>WSD9038-60</td><td>90</td><td>38</td><td>63+/-</td></tr><tr><td>WSD91.438-60</td><td>91.4</td><td>38</td><td>63+/-</td></tr><tr><td>WSD9538-60</td><td>95</td><td>38</td><td>63+/-</td></tr><tr><td>WSD10038-60</td><td>100</td><td>38</td><td>63+/-</td></tr><tr><td>WSD10538-60</td><td>105</td><td>38</td><td>63+/-</td></tr><tr><td>WSD11038-60</td><td>110</td><td>38</td><td>63+/-</td></tr><tr><td>WSD11538-60</td><td>115</td><td>38</td><td>63+/-</td></tr><tr><td>WSD12038-60</td><td>120</td><td>38</td><td>63+/-</td></tr></table> D=PT+0.3+33; where PT=PROFILE THICKNESS of surrounding Door Style		W (cm)	H (cm)	D (cm)	WSD7038-60	70	38	63+/-	WSD7538-60	75	38	63+/-	WSD76.238-60	76.2	38	63+/-	WSD8038-60	85	38	63+/-	WSD8538-60	80	38	63+/-	WSD9038-60	90	38	63+/-	WSD91.438-60	91.4	38	63+/-	WSD9538-60	95	38	63+/-	WSD10038-60	100	38	63+/-	WSD10538-60	105	38	63+/-	WSD11038-60	110	38	63+/-	WSD11538-60	115	38	63+/-	WSD12038-60	120	38	63+/-
	W (cm)	H (cm)	D (cm)																																																							
WSD7038-60	70	38	63+/-																																																							
WSD7538-60	75	38	63+/-																																																							
WSD76.238-60	76.2	38	63+/-																																																							
WSD8038-60	85	38	63+/-																																																							
WSD8538-60	80	38	63+/-																																																							
WSD9038-60	90	38	63+/-																																																							
WSD91.438-60	91.4	38	63+/-																																																							
WSD9538-60	95	38	63+/-																																																							
WSD10038-60	100	38	63+/-																																																							
WSD10538-60	105	38	63+/-																																																							
WSD11038-60	110	38	63+/-																																																							
WSD11538-60	115	38	63+/-																																																							
WSD12038-60	120	38	63+/-																																																							
WSDxx51  D=PT+0.3+33; where PT=PROFILE THICKNESS of surrounding Door Style	WSDxx51 - WALL w/ SLIDING DOORS 2 INSET SLIDING DOORS (H-4.7) x (W÷2)cm. DOORS SLIDE SMOOTHLY ON BALL BEARING WHEELS AND SOLID ALUMINUM TRACK. ONE ADJUSTABLE SHELF. FINISHED INTERIOR AND FRONT EDGES. FINISHED SIDES ARE NOT INCLUDED AND MUST BE ORDERED SEPARATELY. MAXIMUM AVAILABLE LENGTH OF SLIDING DOOR TRACK IS 120cm. NOTE: CABINET DEPTH IS SIZED TO MATCH SURROUNDING DOOR PROFILES. SEE FORMULA @ LEFT TO DETERMINE THE EXACT SIZE FOR DEPTH. SEE THE APPROPRIATE DOOR SHEET FOR THE PT (profile thickness) VALUE.	CODE <table><tr><th></th><th>W (cm)</th><th>H (cm)</th><th>D (cm)</th></tr><tr><td>WSD7051</td><td>70</td><td>51</td><td>35.5+/-</td></tr><tr><td>WSD7551</td><td>75</td><td>51</td><td>35.5+/-</td></tr><tr><td>WSD76.251</td><td>76.2</td><td>51</td><td>35.5+/-</td></tr><tr><td>WSD8051</td><td>85</td><td>51</td><td>35.5+/-</td></tr><tr><td>WSD8551</td><td>80</td><td>51</td><td>35.5+/-</td></tr><tr><td>WSD9051</td><td>90</td><td>51</td><td>35.5+/-</td></tr><tr><td>WSD91.451</td><td>91.4</td><td>51</td><td>35.5+/-</td></tr><tr><td>WSD9551</td><td>95</td><td>51</td><td>35.5+/-</td></tr><tr><td>WSD10051</td><td>100</td><td>51</td><td>35.5+/-</td></tr><tr><td>WSD10551</td><td>105</td><td>51</td><td>35.5+/-</td></tr><tr><td>WSD11051</td><td>110</td><td>51</td><td>35.5+/-</td></tr><tr><td>WSD11551</td><td>115</td><td>51</td><td>35.5+/-</td></tr><tr><td>WSD12051</td><td>120</td><td>51</td><td>35.5+/-</td></tr></table> D=PT+0.3+33; where PT=PROFILE THICKNESS of surrounding Door Style		W (cm)	H (cm)	D (cm)	WSD7051	70	51	35.5+/-	WSD7551	75	51	35.5+/-	WSD76.251	76.2	51	35.5+/-	WSD8051	85	51	35.5+/-	WSD8551	80	51	35.5+/-	WSD9051	90	51	35.5+/-	WSD91.451	91.4	51	35.5+/-	WSD9551	95	51	35.5+/-	WSD10051	100	51	35.5+/-	WSD10551	105	51	35.5+/-	WSD11051	110	51	35.5+/-	WSD11551	115	51	35.5+/-	WSD12051	120	51	35.5+/-
	W (cm)	H (cm)	D (cm)																																																							
WSD7051	70	51	35.5+/-																																																							
WSD7551	75	51	35.5+/-																																																							
WSD76.251	76.2	51	35.5+/-																																																							
WSD8051	85	51	35.5+/-																																																							
WSD8551	80	51	35.5+/-																																																							
WSD9051	90	51	35.5+/-																																																							
WSD91.451	91.4	51	35.5+/-																																																							
WSD9551	95	51	35.5+/-																																																							
WSD10051	100	51	35.5+/-																																																							
WSD10551	105	51	35.5+/-																																																							
WSD11051	110	51	35.5+/-																																																							
WSD11551	115	51	35.5+/-																																																							
WSD12051	120	51	35.5+/-																																																							

WALL w/ SLIDING DOORS


51 & 65cm HIGH x 35.5+/- & 63+/- DEEP

irpinia

ILLUSTRATION

DESCRIPTION

WSDxx51-60



$D = PT + 0.3 + 60.5$; where PT = PROFILE THICKNESS of surrounding Door Style

WSDxx51-60 - WALL DEEP w/ SLIDING DOORS

2 INSET SLIDING DOORS (H-4.7) x (W÷2)cm. DOORS SLIDE SMOOTHLY ON BALL BEARING WHEELS AND SOLID ALUMINUM TRACK.

ONE ADJUSTABLE SHELF.

FINISHED INTERIOR AND FRONT EDGES.

FINISHED SIDES ARE NOT INCLUDED AND MUST BE ORDERED SEPARATELY.

MAXIMUM AVAILABLE LENGTH OF SLIDING DOOR TRACK IS 120cm.


NOTE:
CABINET DEPTH IS SIZED TO MATCH SURROUNDING DOOR PROFILES. SEE FORMULA @ LEFT TO DETERMINE THE EXACT SIZE FOR DEPTH. SEE THE APPROPRIATE DOOR SHEET FOR THE PT (profile thickness) VALUE.

CODE

	W (cm)	Height (cm)	D (cm)
WSD7051-60	70	51	63+/-
WSD7551-60	75	51	63+/-
WSD76.251-60	76.2	51	63+/-
WSD8051-60	85	51	63+/-
WSD8551-60	80	51	63+/-
WSD9051-60	90	51	63+/-
WSD91.451-60	91.4	51	63+/-
WSD9551-60	95	51	63+/-
WSD10051-60	100	51	63+/-
WSD10551-60	105	51	63+/-
WSD11051-60	110	51	63+/-
WSD11551-60	115	51	63+/-
WSD12051-60	120	51	63+/-

$D = PT + 0.3 + 33$; where PT = PROFILE THICKNESS of surrounding Door Style

WSDxx65



$D = PT + 0.3 + 33$; where PT = PROFILE THICKNESS of surrounding Door Style

WSDxx65 - WALL w/ SLIDING DOORS

2 INSET SLIDING DOORS (H-4.7) x (W÷2)cm. DOORS SLIDE SMOOTHLY ON BALL BEARING WHEELS AND SOLID ALUMINUM TRACK.

ONE ADJUSTABLE SHELF.

FINISHED INTERIOR AND FRONT EDGES.

FINISHED SIDES ARE NOT INCLUDED AND MUST BE ORDERED SEPARATELY.

MAXIMUM AVAILABLE LENGTH OF SLIDING DOOR TRACK IS 120cm.


NOTE:
CABINET DEPTH IS SIZED TO MATCH SURROUNDING DOOR PROFILES. SEE FORMULA @ LEFT TO DETERMINE THE EXACT SIZE FOR DEPTH. SEE THE APPROPRIATE DOOR SHEET FOR THE PT (profile thickness) VALUE.

CODE

	W (cm)	Height (cm)	D (cm)
WSD7065	70	65	35.5+/-
WSD7565	75	65	35.5+/-
WSD76.265	76.2	65	35.5+/-
WSD8065	85	65	35.5+/-
WSD8565	80	65	35.5+/-
WSD9065	90	65	35.5+/-
WSD91.465	91.4	65	35.5+/-
WSD9565	95	65	35.5+/-
WSD10065	100	65	35.5+/-
WSD10565	105	65	35.5+/-
WSD11065	110	65	35.5+/-
WSD11565	115	65	35.5+/-
WSD12065	120	65	35.5+/-

$D = PT + 0.3 + 33$; where PT = PROFILE THICKNESS of surrounding Door Style

WSDxx65-60



$D = PT + 0.3 + 60.5$; where PT = PROFILE THICKNESS of surrounding Door Style

WSDxx65-60 - WALL DEEP w/ SLIDING DOORS

2 INSET SLIDING DOORS (H-4.7) x (W÷2)cm. DOORS SLIDE SMOOTHLY ON BALL BEARING WHEELS AND SOLID ALUMINUM TRACK.

ONE ADJUSTABLE SHELF.

FINISHED INTERIOR AND FRONT EDGES.

FINISHED SIDES ARE NOT INCLUDED AND MUST BE ORDERED SEPARATELY.

MAXIMUM AVAILABLE LENGTH OF SLIDING DOOR TRACK IS 120cm.

NOTE:
CABINET DEPTH IS SIZED TO MATCH SURROUNDING DOOR PROFILES. SEE FORMULA @ LEFT TO DETERMINE THE EXACT SIZE FOR DEPTH. SEE THE APPROPRIATE DOOR SHEET FOR THE PT (profile thickness) VALUE.

CODE

	W (cm)	Height (cm)	D (cm)
WSD7065-60	70	65	63+/-
WSD7565-60	75	65	63+/-
WSD76.265-60	76.2	65	63+/-
WSD8065-60	85	65	63+/-
WSD8565-60	80	65	63+/-
WSD9065-60	90	65	63+/-
WSD91.465-60	91.4	65	63+/-
WSD9565-60	95	65	63+/-
WSD10065-60	100	65	63+/-
WSD10565-60	105	65	63+/-
WSD11065-60	110	65	63+/-
WSD11565-60	115	65	63+/-
WSD12065-60	120	65	63+/-

$D = PT + 0.3 + 33$; where PT = PROFILE THICKNESS of surrounding Door Style




WALL w/ SLIDING DOORS

77, 90 & 104cm HIGH x 35.5+/- DEEP

irpinia

ILLUSTRATION

DESCRIPTION

WSDxx77  D=PT+0.3+33; where PT=PROFILE THICKNESS of surrounding Door Style	WSDxx77 - WALL w/ SLIDING DOORS 2 INSET SLIDING DOORS (H-4.7) x (W÷2)cm. DOORS SLIDE SMOOTHLY ON BALL BEARING WHEELS AND SOLID ALUMINUM TRACK. TWO ADJUSTABLE SHELVES. FINISHED INTERIOR AND FRONT EDGES. FINISHED SIDES ARE NOT INCLUDED AND MUST BE ORDERED SEPARATELY. MAXIMUM AVAILABLE LENGTH OF SLIDING DOOR TRACK IS 120cm. NOTE: CABINET DEPTH IS SIZED TO MATCH SURROUNDING DOOR PROFILES. SEE FORMULA @ LEFT TO DETERMINE THE EXACT SIZE FOR DEPTH. SEE THE APPROPRIATE DOOR SHEET FOR THE PT (profile thickness) VALUE.	<table><tr><th>CODE</th><th>W (cm)</th><th>Height (cm)</th><th>D (cm)</th></tr><tr><td>WSD7077</td><td>70</td><td>77</td><td>35.5+/-</td></tr><tr><td>WSD7577</td><td>75</td><td>77</td><td>35.5+/-</td></tr><tr><td>WSD76.277</td><td>76.2</td><td>77</td><td>35.5+/-</td></tr><tr><td>WSD8077</td><td>85</td><td>77</td><td>35.5+/-</td></tr><tr><td>WSD8577</td><td>80</td><td>77</td><td>35.5+/-</td></tr><tr><td>WSD9077</td><td>90</td><td>77</td><td>35.5+/-</td></tr><tr><td>WSD91.477</td><td>91.4</td><td>77</td><td>35.5+/-</td></tr><tr><td>WSD9577</td><td>95</td><td>77</td><td>35.5+/-</td></tr><tr><td>WSD10077</td><td>100</td><td>77</td><td>35.5+/-</td></tr><tr><td>WSD10577</td><td>105</td><td>77</td><td>35.5+/-</td></tr><tr><td>WSD11077</td><td>110</td><td>77</td><td>35.5+/-</td></tr><tr><td>WSD11577</td><td>115</td><td>77</td><td>35.5+/-</td></tr><tr><td>WSD12077</td><td>120</td><td>77</td><td>35.5+/-</td></tr></table> D=PT+0.3+33; where PT=PROFILE THICKNESS of surrounding Door Style	CODE	W (cm)	Height (cm)	D (cm)	WSD7077	70	77	35.5+/-	WSD7577	75	77	35.5+/-	WSD76.277	76.2	77	35.5+/-	WSD8077	85	77	35.5+/-	WSD8577	80	77	35.5+/-	WSD9077	90	77	35.5+/-	WSD91.477	91.4	77	35.5+/-	WSD9577	95	77	35.5+/-	WSD10077	100	77	35.5+/-	WSD10577	105	77	35.5+/-	WSD11077	110	77	35.5+/-	WSD11577	115	77	35.5+/-	WSD12077	120	77	35.5+/-
CODE	W (cm)	Height (cm)	D (cm)																																																							
WSD7077	70	77	35.5+/-																																																							
WSD7577	75	77	35.5+/-																																																							
WSD76.277	76.2	77	35.5+/-																																																							
WSD8077	85	77	35.5+/-																																																							
WSD8577	80	77	35.5+/-																																																							
WSD9077	90	77	35.5+/-																																																							
WSD91.477	91.4	77	35.5+/-																																																							
WSD9577	95	77	35.5+/-																																																							
WSD10077	100	77	35.5+/-																																																							
WSD10577	105	77	35.5+/-																																																							
WSD11077	110	77	35.5+/-																																																							
WSD11577	115	77	35.5+/-																																																							
WSD12077	120	77	35.5+/-																																																							
WSDxx90  D=PT+0.3+33; where PT=PROFILE THICKNESS of surrounding Door Style	WSDxx90 - WALL w/ SLIDING DOORS 2 INSET SLIDING DOORS (H-4.7) x (W÷2)cm. DOORS SLIDE SMOOTHLY ON BALL BEARING WHEELS AND SOLID ALUMINUM TRACK. TWO ADJUSTABLE SHELVES. FINISHED INTERIOR AND FRONT EDGES. FINISHED SIDES ARE NOT INCLUDED AND MUST BE ORDERED SEPARATELY. MAXIMUM AVAILABLE LENGTH OF SLIDING DOOR TRACK IS 120cm. NOTE: CABINET DEPTH IS SIZED TO MATCH SURROUNDING DOOR PROFILES. SEE FORMULA @ LEFT TO DETERMINE THE EXACT SIZE FOR DEPTH. SEE THE APPROPRIATE DOOR SHEET FOR THE PT (profile thickness) VALUE.	<table><tr><th>CODE</th><th>W (cm)</th><th>Height (cm)</th><th>D (cm)</th></tr><tr><td>WSD7090</td><td>70</td><td>90</td><td>35.5+/-</td></tr><tr><td>WSD7590</td><td>75</td><td>90</td><td>35.5+/-</td></tr><tr><td>WSD76.290</td><td>76.2</td><td>90</td><td>35.5+/-</td></tr><tr><td>WSD8090</td><td>85</td><td>90</td><td>35.5+/-</td></tr><tr><td>WSD8590</td><td>80</td><td>90</td><td>35.5+/-</td></tr><tr><td>WSD9090</td><td>90</td><td>90</td><td>35.5+/-</td></tr><tr><td>WSD91.490</td><td>91.4</td><td>90</td><td>35.5+/-</td></tr><tr><td>WSD9590</td><td>95</td><td>90</td><td>35.5+/-</td></tr><tr><td>WSD10090</td><td>100</td><td>90</td><td>35.5+/-</td></tr><tr><td>WSD10590</td><td>105</td><td>90</td><td>35.5+/-</td></tr><tr><td>WSD11090</td><td>110</td><td>90</td><td>35.5+/-</td></tr><tr><td>WSD11590</td><td>115</td><td>90</td><td>35.5+/-</td></tr><tr><td>WSD12090</td><td>120</td><td>90</td><td>35.5+/-</td></tr></table> D=PT+0.3+33; where PT=PROFILE THICKNESS of surrounding Door Style	CODE	W (cm)	Height (cm)	D (cm)	WSD7090	70	90	35.5+/-	WSD7590	75	90	35.5+/-	WSD76.290	76.2	90	35.5+/-	WSD8090	85	90	35.5+/-	WSD8590	80	90	35.5+/-	WSD9090	90	90	35.5+/-	WSD91.490	91.4	90	35.5+/-	WSD9590	95	90	35.5+/-	WSD10090	100	90	35.5+/-	WSD10590	105	90	35.5+/-	WSD11090	110	90	35.5+/-	WSD11590	115	90	35.5+/-	WSD12090	120	90	35.5+/-
CODE	W (cm)	Height (cm)	D (cm)																																																							
WSD7090	70	90	35.5+/-																																																							
WSD7590	75	90	35.5+/-																																																							
WSD76.290	76.2	90	35.5+/-																																																							
WSD8090	85	90	35.5+/-																																																							
WSD8590	80	90	35.5+/-																																																							
WSD9090	90	90	35.5+/-																																																							
WSD91.490	91.4	90	35.5+/-																																																							
WSD9590	95	90	35.5+/-																																																							
WSD10090	100	90	35.5+/-																																																							
WSD10590	105	90	35.5+/-																																																							
WSD11090	110	90	35.5+/-																																																							
WSD11590	115	90	35.5+/-																																																							
WSD12090	120	90	35.5+/-																																																							
WSDxx104  D=PT+0.3+33; where PT=PROFILE THICKNESS of surrounding Door Style	WSDxx104 - WALL w/ SLIDING DOORS 2 INSET SLIDING DOORS (H-4.7) x (W÷2)cm. DOORS SLIDE SMOOTHLY ON BALL BEARING WHEELS AND SOLID ALUMINUM TRACK. THREE ADJUSTABLE SHELVES. FINISHED INTERIOR AND FRONT EDGES. FINISHED SIDES ARE NOT INCLUDED AND MUST BE ORDERED SEPARATELY. MAXIMUM AVAILABLE LENGTH OF SLIDING DOOR TRACK IS 120cm. NOTE: CABINET DEPTH IS SIZED TO MATCH SURROUNDING DOOR PROFILES. SEE FORMULA @ LEFT TO DETERMINE THE EXACT SIZE FOR DEPTH. SEE THE APPROPRIATE DOOR SHEET FOR THE PT (profile thickness) VALUE.	<table><tr><th>CODE</th><th>W (cm)</th><th>Height (cm)</th><th>D (cm)</th></tr><tr><td>WSD70104</td><td>70</td><td>104</td><td>35.5+/-</td></tr><tr><td>WSD75104</td><td>75</td><td>104</td><td>35.5+/-</td></tr><tr><td>WSD76.2104</td><td>76.2</td><td>104</td><td>35.5+/-</td></tr><tr><td>WSD80104</td><td>85</td><td>104</td><td>35.5+/-</td></tr><tr><td>WSD85104</td><td>80</td><td>104</td><td>35.5+/-</td></tr><tr><td>WSD90104</td><td>90</td><td>104</td><td>35.5+/-</td></tr><tr><td>WSD91.4104</td><td>91.4</td><td>104</td><td>35.5+/-</td></tr><tr><td>WSD95104</td><td>95</td><td>104</td><td>35.5+/-</td></tr><tr><td>WSD100104</td><td>100</td><td>104</td><td>35.5+/-</td></tr><tr><td>WSD105104</td><td>105</td><td>104</td><td>35.5+/-</td></tr><tr><td>WSD110104</td><td>110</td><td>104</td><td>35.5+/-</td></tr><tr><td>WSD115104</td><td>115</td><td>104</td><td>35.5+/-</td></tr><tr><td>WSD120104</td><td>120</td><td>104</td><td>35.5+/-</td></tr></table> D=PT+0.3+33; where PT=PROFILE THICKNESS of surrounding Door Style	CODE	W (cm)	Height (cm)	D (cm)	WSD70104	70	104	35.5+/-	WSD75104	75	104	35.5+/-	WSD76.2104	76.2	104	35.5+/-	WSD80104	85	104	35.5+/-	WSD85104	80	104	35.5+/-	WSD90104	90	104	35.5+/-	WSD91.4104	91.4	104	35.5+/-	WSD95104	95	104	35.5+/-	WSD100104	100	104	35.5+/-	WSD105104	105	104	35.5+/-	WSD110104	110	104	35.5+/-	WSD115104	115	104	35.5+/-	WSD120104	120	104	35.5+/-
CODE	W (cm)	Height (cm)	D (cm)																																																							
WSD70104	70	104	35.5+/-																																																							
WSD75104	75	104	35.5+/-																																																							
WSD76.2104	76.2	104	35.5+/-																																																							
WSD80104	85	104	35.5+/-																																																							
WSD85104	80	104	35.5+/-																																																							
WSD90104	90	104	35.5+/-																																																							
WSD91.4104	91.4	104	35.5+/-																																																							
WSD95104	95	104	35.5+/-																																																							
WSD100104	100	104	35.5+/-																																																							
WSD105104	105	104	35.5+/-																																																							
WSD110104	110	104	35.5+/-																																																							
WSD115104	115	104	35.5+/-																																																							
WSD120104	120	104	35.5+/-																																																							





WALL w/ VERTICAL BIFOLD DOORS

65 & 77cm H x 33cm DEEP CARCASE

irpinia

ILLUSTRATION

DESCRIPTION

WBFDxx65 	<u>WBFDxx65 - WALL w/ BIFOLD DOORS</u> TWO DOORS 64.6cm H, HINGED L or R ONE ADJUSTABLE SHELF. PLEASE SPECIFY L or R HINGE ON ORDERS. NET OPENING WIDTH = CABINET WIDTH -15cm ** MAXIMUM ALLOWABLE DOOR WIDTH = 50cm ** ** MINIMUM ALLOWABLE DOOR WIDTH = 30cm **	<table><tr><th>CODE</th><th>width (cm)</th></tr><tr><td>WBFD6065</td><td>60</td></tr><tr><td>WBFD6565</td><td>65</td></tr><tr><td>WBFD7065</td><td>70</td></tr><tr><td>WBFD7565</td><td>75</td></tr><tr><td>WBFD76.265</td><td>76.2</td></tr><tr><td>WBFD8065</td><td>80</td></tr><tr><td>WBFD8565</td><td>85</td></tr><tr><td>WBFD9065</td><td>90</td></tr><tr><td>WBFD91.465</td><td>91.4</td></tr><tr><td>WBFD9565</td><td>95</td></tr><tr><td>WBFD10065</td><td>100</td></tr></table>	CODE	width (cm)	WBFD6065	60	WBFD6565	65	WBFD7065	70	WBFD7565	75	WBFD76.265	76.2	WBFD8065	80	WBFD8565	85	WBFD9065	90	WBFD91.465	91.4	WBFD9565	95	WBFD10065	100
CODE	width (cm)																									
WBFD6065	60																									
WBFD6565	65																									
WBFD7065	70																									
WBFD7565	75																									
WBFD76.265	76.2																									
WBFD8065	80																									
WBFD8565	85																									
WBFD9065	90																									
WBFD91.465	91.4																									
WBFD9565	95																									
WBFD10065	100																									
WDBFD12065 	<u>WDBFD12065 - WALL w/ DOUBLE BIFOLD DOORS</u> FOUR DOORS 64.6cm H ONE ADJUSTABLE SHELF. NET OPENING WIDTH = CABINET WIDTH -30cm ** MAXIMUM ALLOWABLE DOOR WIDTH = 50cm ** ** MINIMUM ALLOWABLE DOOR WIDTH = 30cm **	<table><tr><th>CODE</th><th>width (cm)</th></tr><tr><td>WDBFD12065</td><td>120</td></tr></table>	CODE	width (cm)	WDBFD12065	120																				
CODE	width (cm)																									
WDBFD12065	120																									
WBFDxx77 	<u>WBFDxx77 - WALL w/ BIFOLD DOORS</u> TWO DOORS 76.6cm H, HINGED L or R TWO ADJUSTABLE SHELVES. PLEASE SPECIFY L or R HINGE ON ORDERS. NET OPENING WIDTH = CABINET WIDTH -15cm ** MAXIMUM ALLOWABLE DOOR WIDTH = 50cm ** ** MINIMUM ALLOWABLE DOOR WIDTH = 30cm **	<table><tr><th>CODE</th><th>width (cm)</th></tr><tr><td>WBFD6077</td><td>60</td></tr><tr><td>WBFD6577</td><td>65</td></tr><tr><td>WBFD7077</td><td>70</td></tr><tr><td>WBFD7577</td><td>75</td></tr><tr><td>WBFD76.277</td><td>76.2</td></tr><tr><td>WBFD8077</td><td>80</td></tr><tr><td>WBFD8577</td><td>85</td></tr><tr><td>WBFD9077</td><td>90</td></tr><tr><td>WBFD91.477</td><td>91.4</td></tr><tr><td>WBFD9577</td><td>95</td></tr><tr><td>WBFD10077</td><td>100</td></tr></table>	CODE	width (cm)	WBFD6077	60	WBFD6577	65	WBFD7077	70	WBFD7577	75	WBFD76.277	76.2	WBFD8077	80	WBFD8577	85	WBFD9077	90	WBFD91.477	91.4	WBFD9577	95	WBFD10077	100
CODE	width (cm)																									
WBFD6077	60																									
WBFD6577	65																									
WBFD7077	70																									
WBFD7577	75																									
WBFD76.277	76.2																									
WBFD8077	80																									
WBFD8577	85																									
WBFD9077	90																									
WBFD91.477	91.4																									
WBFD9577	95																									
WBFD10077	100																									
WDBFD12077 	<u>WDBFD12077 - WALL w/ DOUBLE BIFOLD DOORS</u> FOUR DOORS 76.6cm H TWO ADJUSTABLE SHELVES. NET OPENING WIDTH = CABINET WIDTH -30cm ** MAXIMUM ALLOWABLE DOOR WIDTH = 50cm ** ** MINIMUM ALLOWABLE DOOR WIDTH = 30cm **	<table><tr><th>CODE</th><th>width (cm)</th></tr><tr><td>WDBFD12077</td><td>120</td></tr></table>	CODE	width (cm)	WDBFD12077	120																				
CODE	width (cm)																									
WDBFD12077	120																									





WALL w/ VERTICAL BIFOLD DOORS

90 & 104cm H x 33cm DEEP CARCASE

irpinia

ILLUSTRATION

DESCRIPTION

WBFDxx90 	WBFDxx90 - WALL w/ BIFOLD DOORS TWO DOORS 89.6cm H, HINGED L or R TWO ADJUSTABLE SHELVES. PLEASE SPECIFY L or R HINGE ON ORDERS. NET OPENING WIDTH = CABINET WIDTH -15cm ** MAXIMUM ALLOWABLE DOOR WIDTH = 50cm ** ** MINIMUM ALLOWABLE DOOR WIDTH = 30cm **	<table><tr><th>CODE</th><th>width (cm)</th></tr><tr><td>WBFD6090</td><td>60</td></tr><tr><td>WBFD6590</td><td>65</td></tr><tr><td>WBFD7090</td><td>70</td></tr><tr><td>WBFD7590</td><td>75</td></tr><tr><td>WBFD76.290</td><td>76.2</td></tr><tr><td>WBFD8090</td><td>80</td></tr><tr><td>WBFD8590</td><td>85</td></tr><tr><td>WBFD9090</td><td>90</td></tr><tr><td>WBFD91.490</td><td>91.4</td></tr><tr><td>WBFD9590</td><td>95</td></tr><tr><td>WBFD10090</td><td>100</td></tr></table>	CODE	width (cm)	WBFD6090	60	WBFD6590	65	WBFD7090	70	WBFD7590	75	WBFD76.290	76.2	WBFD8090	80	WBFD8590	85	WBFD9090	90	WBFD91.490	91.4	WBFD9590	95	WBFD10090	100
CODE	width (cm)																									
WBFD6090	60																									
WBFD6590	65																									
WBFD7090	70																									
WBFD7590	75																									
WBFD76.290	76.2																									
WBFD8090	80																									
WBFD8590	85																									
WBFD9090	90																									
WBFD91.490	91.4																									
WBFD9590	95																									
WBFD10090	100																									
WDBFD12090 	WDBFD12090 - WALL w/ DOUBLE BIFOLD DOORS FOUR DOORS 89.6cm H TWO ADJUSTABLE SHELVES. NET OPENING WIDTH = CABINET WIDTH -30cm ** MAXIMUM ALLOWABLE DOOR WIDTH = 50cm ** ** MINIMUM ALLOWABLE DOOR WIDTH = 30cm **	<table><tr><th>CODE</th><th>width (cm)</th></tr><tr><td>WDBFD12090</td><td>120</td></tr></table>	CODE	width (cm)	WDBFD12090	120																				
CODE	width (cm)																									
WDBFD12090	120																									
WBFDxx104 	WBFDxx104 - WALL w/ BIFOLD DOORS TWO DOORS 103.6cm H, HINGED L or R THREE ADJUSTABLE SHELVES. PLEASE SPECIFY L or R HINGE ON ORDERS. NET OPENING WIDTH = CABINET WIDTH -15cm ** MAXIMUM ALLOWABLE DOOR WIDTH = 50cm ** ** MINIMUM ALLOWABLE DOOR WIDTH = 30cm **	<table><tr><th>CODE</th><th>width (cm)</th></tr><tr><td>WBFD60104</td><td>60</td></tr><tr><td>WBFD65104</td><td>65</td></tr><tr><td>WBFD70104</td><td>70</td></tr><tr><td>WBFD75104</td><td>75</td></tr><tr><td>WBFD76.2104</td><td>76.2</td></tr><tr><td>WBFD80104</td><td>80</td></tr><tr><td>WBFD85104</td><td>85</td></tr><tr><td>WBFD90104</td><td>90</td></tr><tr><td>WBFD91.4104</td><td>91.4</td></tr><tr><td>WBFD95104</td><td>95</td></tr><tr><td>WBFD100104</td><td>100</td></tr></table>	CODE	width (cm)	WBFD60104	60	WBFD65104	65	WBFD70104	70	WBFD75104	75	WBFD76.2104	76.2	WBFD80104	80	WBFD85104	85	WBFD90104	90	WBFD91.4104	91.4	WBFD95104	95	WBFD100104	100
CODE	width (cm)																									
WBFD60104	60																									
WBFD65104	65																									
WBFD70104	70																									
WBFD75104	75																									
WBFD76.2104	76.2																									
WBFD80104	80																									
WBFD85104	85																									
WBFD90104	90																									
WBFD91.4104	91.4																									
WBFD95104	95																									
WBFD100104	100																									
WDBFD120104 	WDBFD120104 - WALL w/ DOUBLE BIFOLD DOORS FOUR DOORS 103.6cm H THREE ADJUSTABLE SHELVES. NET OPENING WIDTH = CABINET WIDTH -30cm ** MAXIMUM ALLOWABLE DOOR WIDTH = 50cm ** ** MINIMUM ALLOWABLE DOOR WIDTH = 30cm **	<table><tr><th>CODE</th><th>width (cm)</th></tr><tr><td>WDBFD120104</td><td>120</td></tr></table>	CODE	width (cm)	WDBFD120104	120																				
CODE	width (cm)																									
WDBFD120104	120																									

TALL w/ VERTICAL BIFOLD DOORS


162cm H x 33 & 60.5cm DEEP CARCASE

irpinia

ILLUSTRATION

DESCRIPTION

CBFDxx



CBFDxx - TALL CUPBOARD w/ BIFOLD DOORS

TWO DOORS 161.6cm H, HINGED L or R

FOUR ADJUSTABLE SHELVES.

PLEASE SPECIFY L or R HINGE ON ORDERS.

NET OPENING WIDTH = CABINET WIDTH -15cm

** MAXIMUM ALLOWABLE DOOR WIDTH = 50cm **


** MINIMUM ALLOWABLE DOOR WIDTH = 30cm **

CODE

width
(cm)

CBFD60	60
CBFD65	65
CBFD70	70
CBFD75	75
CBFD76.2	76.2
CBFD80	80
CBFD85	85
CBFD90	90
CBFD91.4	91.4
CBFD95	95
CBFD100	100

CDBFDxx



CDBFDxx - TALL CUPBOARD DEEP w/ BIFOLD DOORS

TWO DOORS 161.6cm H, HINGED L or R

FOUR ADJUSTABLE SHELVES.

PLEASE SPECIFY L or R HINGE ON ORDERS.

NET OPENING WIDTH = CABINET WIDTH -15cm

** MAXIMUM ALLOWABLE DOOR WIDTH = 50cm **

** MINIMUM ALLOWABLE DOOR WIDTH = 30cm **

CODE

width
(cm)

CDBFD60	60
CDBFD65	65
CDBFD70	70
CDBFD75	75
CDBFD76.2	76.2
CDBFD80	80
CDBFD85	85
CDBFD90	90
CDBFD91.4	91.4
CDBFD95	95
CDBFD100	100