

irpinia


[illegible]

1700 SERIES PRODUCT LINE

irpinia

55cm DEEP, FULL EXTENSION, QUIET CLOSE, DOVETAIL DRAWERS.


- * 10cm HIGH MAPLE, DOVETAILED DRAWER BOX (SIDE PROFILED) AVAILABLE WITH EITHER STANDARD OR LARGE SIZE DOVETAILS.
- * 55cm LONG
- * 30kg (66 lbs) DYNAMIC CARRYING CAPACITY
- * FULL EXTENSION
- * QUIET CLOSE



STANDARD SIZE DOVETAIL



LARGE SIZE DOVETAIL



- * 20cm HIGH MAPLE, DOVETAILED DRAWER BOX (SIDE PROFILED)
- * 55cm LONG
- * 30kg (66 lbs) DYNAMIC CARRYING CAPACITY
- * FULL EXTENSION
- * QUIET CLOSE

CABINET CONSTRUCTION SPECIFICATIONS


	1700 SERIES WALL CABINET 1. 19mm THICK GABLES ARE CONSTRUCTED FROM EXCLUSIVE, DOUBLE-SIDED, WEAR RESISTANT FINISH, DESIGNER MELAMINE IN "CHAMPAGNE" COLOUR. GABLES ARE GROOVED AT THE BACK TO RECEIVE THE 6mm BACK PANEL. GABLES ARE DRILLED SO THAT EACH SHELF WILL HAVE THREE POSITIONS OF ADJUSTABILITY. ALL EXPOSED CORE IS EDGED WITH PVC TO MATCH THE CARCASE. 2. 19mm THICK ADJUSTABLE SHELVES ARE CONSTRUCTED FROM EXCLUSIVE, DOUBLE-SIDED, WEAR RESISTANT FINISH, DESIGNER MELAMINE IN "CHAMPAGNE" COLOUR. ADJUSTABLE, THREE-POSITION SHELVES ARE SUPPORTED ON CONCEALED SHELF CLIPS WITH AN INTEGRATED LOCK DOWN SYSTEM. SHELVES ARE EDGED AT BACK AND SIDES WITH PVC TO MATCH THE CARCASE. FRONT EDGES OF SHELVES HAVE PVC EDGING TO MATCH DOOR. 3. 19mm THICK TOP & BOTTOM PLATE ARE CONSTRUCTED FROM EXCLUSIVE, DOUBLE-SIDED, WEAR RESISTANT FINISH, DESIGNER MELAMINE IN "CHAMPAGNE" COLOUR. BORED TO RECEIVE FOUR WOOD DOWELS PER EDGE CONNECTION TO THE GABLES. GROOVED AT THE BACK TO RECEIVE THE 6mm BACK PANEL. ALL EXPOSED CORE IS EDGED WITH PVC TO MATCH THE CARCASE. 4. 6mm THICK BACK PANEL IS CONSTRUCTED FROM DOUBLE-FACED MELAMINE TO MATCH THE CARCASE. THE BACK PANEL IS FITTED INTO GROOVED GABLES AND PLATES AND INCLUDES TOP AND BOTTOM SECURING STRIPS. 5. 110 DEGREE, ALL "TITANIUM" FINISH METAL, CLIP-ON HINGE WITH CONCEALED HINGE CUP AND INLINE PLATE WITH CAM ADJUSTABILITY, OFFERS USER FRIENDLY INSTALLATION AND ADJUSTMENT. HINGES HAVE AN INTEGRATED QUIET-CLOSE MECHANISM FOR SLAM FREE CLOSING OF DOORS.
	1700 SERIES BASE CABINET 6. 19mm THICK GABLES ARE CONSTRUCTED FROM EXCLUSIVE, DOUBLE-SIDED, WEAR RESISTANT FINISH, DESIGNER MELAMINE IN "CHAMPAGNE" COLOUR. GABLES ARE GROOVED AT THE BACK TO RECEIVE THE 6mm BACK PANEL. GABLES ARE DRILLED SO THAT THE SHELF WILL HAVE THREE POSITIONS OF ADJUSTABILITY. ALL EXPOSED EDGES COVERED WITH PVC TO MATCH THE CARCASE. 7. 19mm THICK, FULL DEPTH SHELF IS CONSTRUCTED FROM EXCLUSIVE, DOUBLE-SIDED, WEAR RESISTANT FINISH, MELAMINE IN "CHAMPAGNE" COLOUR. THE SHELF IS SUPPORTED ON CONCEALED SHELF CLIPS WITH AN INTEGRATED LOCK DOWN SYSTEM. SHELVES ARE PVC EDGED AT BACK AND SIDES TO MATCH CARCASE. FRONT EDGES OF SHELVES HAVE PVC EDGING TO MATCH DOOR. 8. 19mm THICK BOTTOM PLATE IS CONSTRUCTED FROM EXCLUSIVE, DOUBLE-SIDED, WEAR RESISTANT FINISH, DESIGNER MELAMINE IN "CHAMPAGNE" COLOUR. BORED TO RECEIVE SIX WOOD DOWELS PER EDGE CONNECTION TO GABLES. GROOVED IN THE BACK TO RECEIVE THE 6mm BACK PANEL. ALL EXPOSED EDGES COVERED WITH PVC TO MATCH THE CARCASE. 9. 19mm THICK FRONT AND BACK RAIL ARE CONSTRUCTED FROM EXCLUSIVE, DOUBLE-SIDED, WEAR RESISTANT FINISH, DESIGNER MELAMINE IN "CHAMPAGNE" COLOUR. BORED TO RECEIVE TWO WOOD DOWELS PER EDGE CONNECTION TO GABLES. BACK RAILS ARE GROOVED AT THE BACK TO RECEIVE THE 6mm BACK PANEL. ALL EXPOSED EDGES COVERED WITH PVC TO MATCH THE CARCASE. 10. 6mm THICK BACK PANEL IS CONSTRUCTED FROM DOUBLE-FACED MELAMINE TO MATCH THE CARCASE. THE BACK PANEL IS FITTED INTO GROOVED GABLES, PLATE & BACK RAIL AND INCLUDES TOP AND BOTTOM SECURING STRIPS. 11. 110 DEGREE, ALL "TITANIUM" FINISH METAL, CLIP-ON HINGE WITH CONCEALED HINGE CUP & INLINE PLATE WITH CAM ADJUSTABILITY, OFFERS USER FRIENDLY INSTALLATION AND ADJUSTMENT. HINGES HAVE AN INTEGRATED QUIET-CLOSE MECHANISM FOR SLAM FREE CLOSING OF DOORS. 12. 15cm STEEL LEGS ADJUSTABLE UP TO 17.6cm HIGH COME COMPLETE WITH FACTORY INSTALLED UNDER-CABINET LEG AFFIXING BRACKETS. 13. 550mm DEEP, NATURAL FINISHED, MAPLE DOVETAILED DRAWER WITH CONCEALED FULL-EXTENSION GLIDES with 30kg (66 lbs) DYNAMIC CARRYING CAPACITY. DRAWERS HAVE A TRI-DIRECTIONAL DRAWER FRONT ADJUSTMENT SYSTEM. DRAWER GLIDES HAVE AN INTEGRATED QUIET-CLOSE MECHANISM FOR SLAM FREE CLOSING. *NOTE: PVC EDGING, WHICH MATCHES THE DOOR COLOUR (APPLIED TO THE FRONT EDGES OF THE CARCASE), IS AVAILABLE AT NO CHARGE IF SPECIFIED.

2000 SERIES PRODUCT LINE




STAINLESS STEEL, QUIET CLOSE DRAWERS w/ 8mm THICK GLASS SIDE EXTENSIONS.

- * CLEAR 8mm THICK GLASS PULL OUT SIDE AND FRONT EXTENSIONS ABOVE STAINLESS STEEL PULL OUT BOX FOR ALL DEEP PULLOUTS.
- * FULL EXTENSION
- * 30kg (66 lbs) DYNAMIC CARRYING CAPACITY
- * QUIET CLOSE



- * STAINLESS STEEL DRAWER SIDES
- * 55cm LONG
- * FULL EXTENSION
- * 30kg (66 lbs) DYNAMIC CARRYING CAPACITY
- * QUIET CLOSE



- * 8mm THICK CLEAR GLASS DRAWER SIDE EXTENSIONS ABOVE STAINLESS STEEL DRAWER SIDES FOR ALL DEEP DRAWERS
- * 55cm LONG
- * FULL EXTENSION
- * 30kg (66 lbs) DYNAMIC CARRYING CAPACITY
- * QUIET CLOSE

CABINET CONSTRUCTION SPECIFICATIONS

	2000 SERIES WALL CABINET 1. 19mm THICK GABLES ARE CONSTRUCTED FROM EXCLUSIVE, DOUBLE-SIDED, WEAR RESISTANT FINISH, DESIGNER MELAMINE IN "PLATINUM" COLOUR. GABLES ARE GROOVED AT THE BACK TO RECEIVE THE 6mm BACK PANEL. GABLES ARE DRILLED SO THAT EACH SHELF WILL HAVE THREE POSITIONS OF ADJUSTABILITY. ALL EXPOSED CORE COVERED WITH PVC TO MATCH THE CARCASE. 2. 19mm THICK ADJUSTABLE SHELVES CONSTRUCTED FROM EXCLUSIVE, DOUBLE-SIDED, WEAR RESISTANT FINISH, DESIGNER MELAMINE IN "PLATINUM" COLOUR. ADJUSTABLE, THREE-POSITION SHELVES ARE SUPPORTED ON CONCEALED SHELF CLIPS WITH AN INTEGRATED LOCK DOWN SYSTEM. SHELVES ARE EDGED ON FOUR SIDES WITH PVC TO MATCH THE CARCASE. 3. 19mm THICK TOP & BOTTOM PLATE ARE CONSTRUCTED FROM EXCLUSIVE, DOUBLE-SIDED, WEAR RESISTANT FINISH, DESIGNER MELAMINE IN "PLATINUM" COLOUR. BORED TO RECEIVE FOUR WOOD DOWELS PER EDGE CONNECTION TO THE GABLES. GROOVED IN THE BACK TO RECEIVE THE 6mm BACK PANEL. ALL EXPOSED CORE COVERED WITH PVC TO MATCH THE CARCASE. 4. 6mm THICK BACK PANEL IS CONSTRUCTED FROM DOUBLE-FACED MELAMINE TO MATCH THE CARCASE. THE BACK PANEL IS FITTED INTO GROOVED GABLES AND PLATES AND INCLUDES TOP AND BOTTOM SECURING STRIPS. 5. 110 DEGREE, ALL "TITANIUM" FINISH METAL, CLIP-ON HINGE WITH CONCEALED HINGE CUP AND INLINE PLATE WITH CAM ADJUSTABILITY, OFFERS USER FRIENDLY INSTALLATION AND ADJUSTMENT. HINGES HAVE AN INTEGRATED QUIET-CLOSE MECHANISM FOR SLAM FREE CLOSING OF DOORS.
	2000 SERIES BASE CABINET 6. 19mm THICK GABLES ARE CONSTRUCTED FROM EXCLUSIVE, DOUBLE-SIDED, WEAR RESISTANT FINISH, DESIGNER MELAMINE IN "PLATINUM" COLOUR. GABLES ARE GROOVED AT THE BACK TO RECEIVE THE 6mm BACK PANEL. GABLES ARE DRILLED SO THAT THE SHELF WILL HAVE THREE POSITIONS OF ADJUSTABILITY. ALL EXPOSED EDGES COVERED WITH PVC TO MATCH THE CARCASE. 7. 19mm THICK, FULL DEPTH SHELF IS CONSTRUCTED FROM EXCLUSIVE, DOUBLE-SIDED, WEAR RESISTANT FINISH, MELAMINE IN "PLATINUM" COLOUR. THE SHELF IS SUPPORTED ON CONCEALED SHELF CLIPS WITH AN INTEGRATED LOCK DOWN SYSTEM AND IS EDGED ON FOUR SIDES WITH PVC TO MATCH THE CARCASE. 8. 19mm THICK BOTTOM PLATE IS CONSTRUCTED FROM EXCLUSIVE, DOUBLE-SIDED, WEAR RESISTANT FINISH, DESIGNER MELAMINE IN "PLATINUM" COLOUR. BORED TO RECEIVE SIX WOOD DOWELS PER EDGE CONNECTION TO THE GABLES. GROOVED AT THE BACK TO RECEIVE THE 6mm BACK PANEL. ALL EXPOSED EDGES COVERED WITH PVC TO MATCH THE CARCASE. 9. 19mm THICK FRONT AND BACK RAIL ARE CONSTRUCTED FROM EXCLUSIVE, DOUBLE-SIDED, WEAR RESISTANT FINISH, DESIGNER MELAMINE IN "PLATINUM" COLOUR. BORED TO RECEIVE TWO WOOD DOWELS PER EDGE CONNECTION TO GABLES. BACK RAILS ARE GROOVED AT THE BACK TO RECEIVE THE 6mm BACK PANEL. ALL EXPOSED EDGES COVERED WITH PVC TO MATCH THE CARCASE. 10. 6mm THICK BACK PANEL IS CONSTRUCTED FROM DOUBLE-FACED MELAMINE TO MATCH THE CARCASE. THE BACK PANEL IS FITTED INTO GROOVED GABLES, PLATE & BACK RAIL AND INCLUDES TOP AND BOTTOM SECURING STRIPS. 11. 110 DEGREE, ALL "TITANIUM" FINISH METAL, CLIP-ON HINGE WITH CONCEALED HINGE CUP & INLINE PLATE WITH CAM ADJUSTABILITY, OFFERS USER FRIENDLY INSTALLATION AND ADJUSTMENT. HINGES HAVE AN INTEGRATED QUIET-CLOSE MECHANISM FOR SLAM FREE CLOSING OF DOORS. 12. 15cm STEEL LEGS ADJUSTABLE UP TO 17.6cm HIGH COME COMPLETE WITH FACTORY INSTALLED UNDER-CABINET LEG AFFIXING BRACKETS. 13. 550mm DEEP DRAWER HAS DOUBLE WALLED STAINLESS STEEL DRAWER SIDES WITH CONCEALED FULL-EXTENSION GLIDES with 30kg (66 lbs) DYNAMIC CARRYING CAPACITY. DRAWERS HAVE A TRI-DIRECTIONAL DRAWER FRONT ADJUSTMENT SYSTEM. DRAWERS ARE FITTED WITH A QUIET MECHANISM FOR SLAM FREE CLOSING. THE 16mm THICK DRAWER BOTTOM IS CONSTRUCTED FROM "PLATINUM" COLOUR MELAMINE. DEEP DRAWERS (IN HEIGHT) COME WITH 8mm THICK CLEAR GLASS DRAWER SIDE EXTENSIONS. *NOTE: PVC EDGING, WHICH MATCHES THE DOOR COLOUR (APPLIED TO THE FRONT EDGES OF THE CARCASE) IS AVAILABLE AT NO CHARGE IF SPECIFIED.

55cm DEEP, QUIET CLOSE, FULL EXTENSION DRAWERS.

- * SILK WHITE EPOXY COATED DOUBLE-WALL STEEL DRAWER SIDES;
- * 55cm LONG
- * 30kg (66 lbs) DYNAMIC CARRYING CAPACITY
- * FULL EXTENSION
- * QUIET CLOSE




STANDARD SIZE DOVETAIL





LARGE SIZE DOVETAIL

DOVETAILED MAPLE UPGRADED DRAWER BOXES w/ PROFILED SIDES ARE AVAILABLE. CHOICE OF EITHER STANDARD OR LARGE SIZE DOVETAILS.




- * SILK WHITE EPOXY COATED DOUBLE-WALL STEEL DRAWER SIDES;
- * RECTANGULAR GALLERY RAILS FOR DEEP DRAWERS
- * 55cm LONG
- * 30kg (66 lbs) DYNAMIC CARRYING CAPACITY
- * FULL EXTENSION
- * QUIET CLOSE



CABINET CONSTRUCTION SPECIFICATIONS

	SC plus WALL CABINET 1. 19mm THICK GABLES ARE CONSTRUCTED FROM DOUBLE-SIDED 110 GRAM / 120 OPACITY MELAMINE. GABLES ARE GROOVED AT THE BACK TO RECEIVE THE 3mm BACK PANEL. GABLES ARE DRILLED SO THAT EACH SHELF WILL HAVE THREE POSITIONS OF ADJUSTABILITY. FRONT, TOP AND BOTTOM EDGES OF GABLES ARE EDGED IN PVC TO MATCH THE CARCASE OR DOOR. 2. 19mm THICK ADJUSTABLE SHELVES ARE CONSTRUCTED FROM DOUBLE-SIDED 110 GRAM / 120 OPACITY MELAMINE. SHELVES ARE EDGED ON THE FRONT EDGE WITH PVC TO MATCH THE DOOR. 3. 19mm THICK TOP AND BOTTOM PLATES ARE CONSTRUCTED FROM DOUBLE-SIDED 110 GRAM / 120 OPACITY MELAMINE. BORED TO RECEIVE FOUR WOOD DOWELS PER EDGE CONNECTION TO GABLES. GROOVED AT THE BACK TO RECEIVE THE 3mm BACK PANEL. PLATES EDGED AT THE FRONT WITH PVC TO MATCH THE CARCASE OR DOORS. 4. 3mm THICK BACK PANEL IS CONSTRUCTED FROM MATCH CARCASE-FACED MDF. THE BACK PANEL IS FITTED INTO GROOVED GABLES AND PLATES AND INCLUDES TOP AND BOTTOM SECURING STRIPS. 5. 110 DEGREE "NICKEL-PLATED" CLIP ON HINGE WITH CONCEALED HINGE CUP AND INLINE PLATE WITH CAM ADJUSTABILITY, OFFERS USER FRIENDLY INSTALLATION AND ADJUSTMENT. HINGES HAVE AN INTEGRATED QUIET-CLOSE MECHANISM FOR SLAM FREE CLOSING OF DOORS.
	SC plus BASE CABINET 6. 19mm THICK GABLES ARE CONSTRUCTED FROM DOUBLE-SIDED 110 GRAM / 120 OPACITY MELAMINE. GABLES ARE GROOVED AT THE BACK TO RECEIVE THE 3mm BACK PANEL. FRONT EDGED WITH PVC TO MATCH THE CARCASE OR DOORS. 7. 19mm THICK FULL DEPTH SHELF CONSTRUCTED FROM DOUBLE-SIDED 110 GRAM / 120 OPACITY MELAMINE. SHELF IS EDGED AT THE FRONT WITH PVC TO MATCH THE DOOR. 8. 19mm THICK BOTTOM PLATE IS CONSTRUCTED FROM DOUBLE-SIDED 110 GRAM / 120 OPACITY MELAMINE. BORED TO RECEIVE SIX WOOD DOWELS PER EDGE CONNECTION TO GABLES. GROOVED IN THE BACK TO RECEIVE THE 3mm BACK PANEL. FRONT IS EDGED WITH PVC TO MATCH THE CARCASE OR DOORS. 9. 19mm THICK FRONT AND BACK RAIL ARE CONSTRUCTED FROM DOUBLE-SIDED 110 GRAM / 120 OPACITY MELAMINE. BORED TO RECEIVE TWO WOOD DOWELS PER EDGE CONNECTION TO GABLES. GROOVED IN THE BACK TO RECEIVE THE 3mm BACK PANEL. FRONTS EDGED WITH PVC TO MATCH THE CARCASE OR DOORS. 10. 3mm BACK PANEL IS CONSTRUCTED FROM CARCASE COLOUR-FACED MDF. BACK PANEL IS FITTED INTO GROOVED GABLES AND PLATE & BACK RAIL AND INCLUDES TOP AND BOTTOM SECURING STRIPS. 11. 110 DEGREE "NICKEL-PLATED" CLIP ON HINGE WITH CONCEALED HINGE CUP AND INLINE PLATE WITH CAM ADJUSTABILITY, OFFERS USER FRIENDLY INSTALLATION AND ADJUSTMENT. HINGES HAVE AN INTEGRATED QUIET-CLOSE MECHANISM FOR SLAM FREE CLOSING OF DOORS. 12. 15cm HIGH PLASTIC LEGS ADJUSTABLE UP TO 17.6cm HIGH COME COMPLETE WITH FACTORY INSTALLED UNDER-CABINET LEG AFFIXING BRACKETS. 13. 550mm DEEP DRAWER HAS SILK WHITE EPOXY-COATED DOUBLE-WALLED STEEL SIDES WITH CONCEALED QUIET CLOSE FULL-EXTENSION DRAWER GLIDES with 30kg (66 lbs) DYNAMIC CARRYING CAPACITY. DRAWERS HAVE A BI-DIRECTIONAL DRAWER FRONT ADJUSTMENT SYSTEM. THE 16mm THICK DRAWER BOTTOM IS CONSTRUCTED FROM WHITE MELAMINE. *NOTE: PVC EDGING AVAILABLE AS MATCH DOOR OR MATCH CARCASE. PVC TO MATCH DOOR IS NOT AN UPCHARGE IN SC plus.

55cm DEEP, QUIET CLOSE, FULL EXTENSION DRAWERS.




CABINET CONSTRUCTION SPECIFICATIONS

	SC plus WALL CABINET 1. 19mm THICK GABLES ARE CONSTRUCTED FROM DOUBLE-SIDED 110 GRAM / 120 OPACITY MELAMINE. GABLES ARE GROOVED AT THE BACK TO RECEIVE THE 3mm BACK PANEL. GABLES ARE DRILLED SO THAT EACH SHELF WILL HAVE THREE POSITIONS OF ADJUSTABILITY. FRONT, TOP AND BOTTOM EDGES OF GABLES ARE EDGED IN PVC TO MATCH THE CARCASE OR DOOR. 2. 19mm THICK ADJUSTABLE SHELVES ARE CONSTRUCTED FROM DOUBLE-SIDED 110 GRAM / 120 OPACITY MELAMINE. SHELVES ARE EDGED ON THE FRONT EDGE WITH PVC TO MATCH THE DOOR. 3. 19mm THICK TOP AND BOTTOM PLATES ARE CONSTRUCTED FROM DOUBLE-SIDED 110 GRAM / 120 OPACITY MELAMINE. BORED TO RECEIVE FOUR WOOD DOWELS PER EDGE CONNECTION TO GABLES. GROOVED AT THE BACK TO RECEIVE THE 3mm BACK PANEL. PLATES EDGED AT THE FRONT WITH PVC TO MATCH THE CARCASE OR DOORS. 4. 3mm THICK BACK PANEL IS CONSTRUCTED FROM MATCH CARCASE-FACED MDF. THE BACK PANEL IS FITTED INTO GROOVED GABLES AND PLATES AND INCLUDES TOP AND BOTTOM SECURING STRIPS. 5. 110 DEGREE "NICKEL-PLATED" CLIP ON HINGE WITH CONCEALED HINGE CUP AND INLINE PLATE WITH CAM ADJUSTABILITY, OFFERS USER FRIENDLY INSTALLATION AND ADJUSTMENT. HINGES HAVE AN INTEGRATED QUIET-CLOSE MECHANISM FOR SLAM FREE CLOSING OF DOORS.
	SC plus BASE CABINET 6. 19mm THICK GABLES ARE CONSTRUCTED FROM DOUBLE-SIDED 110 GRAM / 120 OPACITY MELAMINE. GABLES ARE GROOVED AT THE BACK TO RECEIVE THE 3mm BACK PANEL. FRONT EDGED WITH PVC TO MATCH THE CARCASE OR DOORS. 7. 19mm THICK FULL DEPTH SHELF CONSTRUCTED FROM DOUBLE-SIDED 110 GRAM / 120 OPACITY MELAMINE. SHELF IS EDGED AT THE FRONT WITH PVC TO MATCH THE DOOR. 8. 19mm THICK BOTTOM PLATE IS CONSTRUCTED FROM DOUBLE-SIDED 110 GRAM / 120 OPACITY MELAMINE. BORED TO RECEIVE SIX WOOD DOWELS PER EDGE CONNECTION TO GABLES. GROOVED IN THE BACK TO RECEIVE THE 3mm BACK PANEL. FRONT IS EDGED WITH PVC TO MATCH THE CARCASE OR DOORS. 9. 19mm THICK FRONT AND BACK RAIL ARE CONSTRUCTED FROM DOUBLE-SIDED 110 GRAM / 120 OPACITY MELAMINE. BORED TO RECEIVE TWO WOOD DOWELS PER EDGE CONNECTION TO GABLES. GROOVED IN THE BACK TO RECEIVE THE 3mm BACK PANEL. FRONTS EDGED WITH PVC TO MATCH THE CARCASE OR DOORS. 10. 3mm BACK PANEL IS CONSTRUCTED FROM CARCASE COLOUR-FACED MDF. BACK PANEL IS FITTED INTO GROOVED GABLES AND PLATE & BACK RAIL AND INCLUDES TOP AND BOTTOM SECURING STRIPS. 11. 110 DEGREE "NICKEL-PLATED" CLIP ON HINGE WITH CONCEALED HINGE CUP AND INLINE PLATE WITH CAM ADJUSTABILITY, OFFERS USER FRIENDLY INSTALLATION AND ADJUSTMENT. HINGES HAVE AN INTEGRATED QUIET-CLOSE MECHANISM FOR SLAM FREE CLOSING OF DOORS. 12. 15cm HIGH PLASTIC LEGS ADJUSTABLE UP TO 17.6cm HIGH COME COMPLETE WITH FACTORY INSTALLED UNDER-CABINET LEG AFFIXING BRACKETS. 13. 550mm DEEP DRAWER HAS SILK WHITE EPOXY-COATED DOUBLE-WALLED STEEL SIDES WITH CONCEALED QUIET CLOSE FULL-EXTENSION DRAWER GLIDES with 30kg (66 lbs) DYNAMIC CARRYING CAPACITY. DRAWERS HAVE A BI-DIRECTIONAL DRAWER FRONT ADJUSTMENT SYSTEM. THE 16mm THICK DRAWER BOTTOM IS CONSTRUCTED FROM WHITE MELAMINE. *NOTE: PVC EDGING AVAILABLE AS MATCH DOOR OR MATCH CARCASE. PVC TO MATCH DOOR IS NOT AN UPCHARGE IN SC plus.

irpinia


[illegible]

TYPICAL KITCHEN CABINET HEIGHTS in cm (ELEVATION VIEW)




TYPICAL KITCHEN CABINET MEASUREMENTS in cm (SECTION VIEW)

METRIC



TYPICAL VANITY CABINET HEIGHTS in cm (ELEVATION VIEW)




TYPICAL VANITY CABINET MEASUREMENTS in cm (SECTION VIEW)

TYPICAL DESK CABINET SIZES


irpinia

METRIC



NUMBERS WITH BRACKETS i.e. (14)= DOOR & DRAWER FRT. SIZES

TYPICAL DESK HEIGHTS in cm (ELEVATION VIEW)



NUMBERS WITH BRACKETS i.e. (14)= DOOR & DRAWER FRT. SIZES

TYPICAL DESK CABINET MEASUREMENTS in cm (SECTION VIEW)